

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Feder *et al.*

Application No.: To be assigned

Group Art Unit: 1653

Filed: Herewith

Examiner: Gupta, A.

For: PEPTIDES AND PEPTIDE  
ANALOGUES DESIGNED FROM  
HFE PROTEIN AND THEIR USES  
IN THE TREATMENT OF IRON  
OVERLOAD DISEASES

Attorney Docket No.: 8907-091-999

**PRELIMINARY AMENDMENT**

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

Prior to examining the captioned application on the merits, please enter the following amendments and consider the following remarks.

**AMENDMENT**

**IN THE CLAIMS**

Please cancel Claims 1-13, without prejudice, and insert therefor the following new  
Claims 14-19:

--14. (New) A method of inhibiting TfR binding to transferrin, comprising  
administering to a subject a therapeutically effective amount of a compound comprising the  
formula:

(I)  $Z_1-X_1-X_2-X_3-X_4-X_5-X_6-X_7-X_8-X_9-X_{10}-X_{11}-X_{12}-X_{13}-X_{14}-X_{15}-X_{16}-X_{17}-Z_2$   
wherein:

$X_1$  is an apolar residue;

X<sub>2</sub> is a hydrophobic residue;  
X<sub>3</sub> is an acidic or an aliphatic residue;  
X<sub>4</sub> is a basic residue;  
X<sub>5</sub> is an apolar residue;  
X<sub>6</sub> is an aromatic residue;  
X<sub>7</sub> is a polar residue;  
X<sub>8</sub> is an aliphatic residue;  
X<sub>9</sub> is an acidic or an aliphatic residue;  
X<sub>10</sub> is an aromatic residue;  
X<sub>11</sub> is an aromatic residue;  
X<sub>12</sub> is a polar residue;  
X<sub>13</sub> is Ile;  
X<sub>14</sub> is an apolar residue;  
X<sub>15</sub> is an acidic residue;  
X<sub>16</sub> is a polar residue;  
X<sub>17</sub> is a basic or an aliphatic residue;  
Z<sub>1</sub> is H<sub>2</sub>N-, RHN- or, RRN-;  
Z<sub>2</sub> is -C(O)R, -C(O)OR, -C(O)NHR, -C(O)NR<sub>2</sub>,  
each R is independently (C<sub>1</sub>-C<sub>6</sub>) alkyl, (C<sub>1</sub>-C<sub>6</sub>) alkenyl, (C<sub>1</sub>-C<sub>6</sub>) alkynyl,  
substituted (C<sub>1</sub>-C<sub>6</sub>) alkyl, substituted (C<sub>1</sub>-C<sub>6</sub>) alkenyl or substituted (C<sub>1</sub>-C<sub>6</sub>) alkynyl;  
each “—” between residues Z<sub>1</sub> and X<sub>1</sub> and residues Z<sub>2</sub> and X<sub>17</sub> represents a  
covalent linkage; and  
each “—” between residues X<sub>1</sub> through X<sub>17</sub> represents a covalent linkage,  
wherein the compound reduces cell-associated binding of transferrin as measured in  
an *in vitro* cellular binding assay and produces at least an additive effect with soluble  
HFE/β<sub>2</sub>m heterodimers in reducing cell-associated binding of transferrin as measured in the  
assay.

15. (New) The method of Claim 14, wherein:

X<sub>1</sub> is an apolar amino acid;  
X<sub>2</sub> is an aromatic amino acid;

X<sub>3</sub> is an acidic amino acid;  
X<sub>4</sub> is a basic amino acid;  
X<sub>5</sub> is an apolar amino acid;  
X<sub>6</sub> is an aromatic amino acid;  
X<sub>7</sub> is a polar amino acid;  
X<sub>8</sub> is a aliphatic amino acid;  
X<sub>9</sub> is a an acidic amino acid;  
X<sub>10</sub> is an aromatic amino acid;  
X<sub>11</sub> is an aromatic amino acid;  
X<sub>12</sub> is a polar amino acid;  
X<sub>13</sub> is Ile;  
X<sub>14</sub> is an apolar amino acid;  
X<sub>15</sub> is an acidic amino acid;  
X<sub>16</sub> is a polar amino acid;  
X<sub>17</sub> is a basic amino acid; and  
each “—” between residues X<sub>1</sub> through X<sub>17</sub> is independently an amide, a substituted amide or an isostere of amide.

16. (New) The method of Claim 14, wherein:


X<sub>1</sub> is Gly;  
X<sub>2</sub> is Trp or Ala;  
X<sub>3</sub> is Asp or Ala;  
X<sub>4</sub> is His;  
X<sub>5</sub> is Met;  
X<sub>6</sub> is Phe;  
X<sub>7</sub> is Thr;  
X<sub>8</sub> is Val;  
X<sub>9</sub> is Asp or Ala;  
X<sub>10</sub> is Phe;  
X<sub>11</sub> is Trp;  
X<sub>12</sub> is Thr;

X<sub>13</sub> is Ile;  
X<sub>14</sub> is Met;  
X<sub>15</sub> is Glu;  
X<sub>16</sub> is Asn;  
X<sub>17</sub> is His or Ala;  
Z<sub>1</sub> is H<sub>2</sub>N-;  
Z<sub>2</sub> is -C(O)OH; and  
each “—” between residues X<sub>1</sub> through X<sub>17</sub> is an amide linkage.

17. (New) A method of treating an iron overload disease, comprising

administering to a subject a therapeutically effective amount of a compound comprising the

formula:



wherein:

X<sub>1</sub> is an apolar residue;

X<sub>2</sub> is a hydrophobic residue;

X<sub>3</sub> is an acidic or an aliphatic residue;

X<sub>4</sub> is a basic residue;

X<sub>5</sub> is an apolar residue;

X<sub>6</sub> is an aromatic residue;

X<sub>7</sub> is a polar residue;

X<sub>8</sub> is an aliphatic residue;

X<sub>9</sub> is an acidic or an aliphatic residue;

X<sub>10</sub> is an aromatic residue;

X<sub>11</sub> is an aromatic residue;

X<sub>12</sub> is a polar residue;

X<sub>13</sub> is Ile;

X<sub>14</sub> is an apolar residue;

X<sub>15</sub> is an acidic residue;

X<sub>16</sub> is a polar residue;

X<sub>17</sub> is a basic or an aliphatic residue;

Z<sub>1</sub> is H<sub>2</sub>N-, RHN- or RRN-;

Z<sub>2</sub> is -C(O)R, -C(O)OR, -C(O)NHR, -C(O)NRR;

each R is independently (C<sub>1</sub>-C<sub>6</sub>) alkyl, (C<sub>1</sub>-C<sub>6</sub>) alkenyl, (C<sub>1</sub>-C<sub>6</sub>) alkynyl,

substituted (C<sub>1</sub>-C<sub>6</sub>) alkyl, substituted (C<sub>1</sub>-C<sub>6</sub>) alkenyl or substituted (C<sub>1</sub>-C<sub>6</sub>) alkynyl;

each “—” between residues Z<sub>1</sub> and X<sub>i</sub> and residues Z<sub>2</sub> and X<sub>17</sub> represents a covalent linkage; and

each “—” between residues X<sub>1</sub> through X<sub>17</sub> represents a covalent linkage,

wherein the compound reduces cell-associated binding of transferrin as measured in an *in vitro* cellular binding assay and produces at least an additive effect with soluble HFE/β<sub>2</sub>m heterodimers in reducing cell-associated binding of transferrin as measured in the assay.

18. (New) The method of Claim 17, wherein:

X<sub>1</sub> is an apolar amino acid;

X<sub>2</sub> is an aromatic amino acid;

X<sub>3</sub> is an acidic amino acid;

X<sub>4</sub> is a basic amino acid;

X<sub>5</sub> is an apolar amino acid;

X<sub>6</sub> is an aromatic amino acid;  
X<sub>7</sub> is a polar amino acid;  
X<sub>8</sub> is a aliphatic amino acid;  
X<sub>9</sub> is a an acidic amino acid;  
X<sub>10</sub> is an aromatic amino acid;  
X<sub>11</sub> is an aromatic amino acid;  
X<sub>12</sub> is a polar amino acid;  
X<sub>13</sub> is Ile;  
X<sub>14</sub> is an apolar amino acid;  
X<sub>15</sub> is an acidic amino acid;  
X<sub>16</sub> is a polar amino acid;  
X<sub>17</sub> is a basic amino acid; and  
each “—” between residues X<sub>1</sub> through X<sub>17</sub> is independently an amide, a substituted amide or an isostere of amide.

19. (New) The method of Claim 17, wherein:

X<sub>1</sub> is Gly;

X<sub>2</sub> is Trp or Ala;

X<sub>3</sub> is Asp or Ala;

X<sub>4</sub> is His;

X<sub>5</sub> is Met;

X<sub>6</sub> is Phe;

X<sub>7</sub> is Thr;

X<sub>8</sub> is Val;

X<sub>9</sub> is Asp or Ala;

X<sub>10</sub> is Phe;

X<sub>11</sub> is Trp;

X<sub>12</sub> is Thr;

X<sub>13</sub> is Ile;

X<sub>14</sub> is Met;

X<sub>15</sub> is Glu;

X<sub>16</sub> is Asn;

X<sub>17</sub> is His or Ala;

Z<sub>1</sub> is H<sub>2</sub>N-;

Z<sub>2</sub> is -C(O)OH; and

each “—” between residues X<sub>1</sub> through X<sub>17</sub> is an amide linkage.--

#### **REMARKS**

With this Amendment, Claims 1-13 have been canceled, without prejudice, and replaced with new Claims 14-19. Applicants expressly reserve the right to prosecute claims drawn to the canceled subject matter in one or more timely filed continuation, divisional or continuation-in-part applications. New Claims 14-19 merely recite with greater particularity and/or clarity certain features of canceled Claims 8-13.

As demonstrated by the table below, new Claims 14-19 are fully supported by the application and claims as originally filed and do not constitute new matter. Entry into the instant application is therefore proper and kindly requested. Specific support for each new claim is provided in the following table:

New Claim	Support (original Claim; page (line nos.))
14	Claim 8; 7 (10) through 8 (1); 20 (32-34); 26 (6) through 27 (4)
15	Claim 9; 14 (18) through 15 (5); 20 (32-34)
16	Claim 10; 15 (6-29); 20 (32-34)
17	Claim 11; Claim 8; 7 (10) through 8 (1); 20 (32) through 21 (3)
18	Claim 12; 14 (18) through 15 (5); 20 (32) through 21 (3)
19	Claim 13; 15 (6-29); 20 (32) through 21 (3)


### CONCLUSION

New Claims 14-19 are believed to be in condition for allowance. An early indication of the same is kindly solicited.

No fees are believed due in connection with this submission. However, the Commissioner is authorized to charge any required fees, or credit any overpayment, to Pennie & Edmonds LLP Deposit Account No. 16-1150.

Respectfully submitted,

Date July 9, 2001

  
Nathan A. Machin

47,763

(Reg. No.)

for Brian M. Poissant (Reg. No. 28,462)  
 PENNIE & EDMONDS LLP  
 1155 Avenue of the Americas  
 New York, New York 10036-2711  
 (212) 790-9090

Enclosure

New Claim	Support (original Claim; page (line nos.))
14	Claim 8; 7 (10) through 8 (1); 20 (32-34); 26 (6) through 27 (4)
15	Claim 9; 14 (18) through 15 (5); 20 (32-34)
16	Claim 10; 15 (6-29); 20 (32-34)
17	Claim 11; Claim 8; 7 (10) through 8 (1); 20 (32) through 21 (3)
18	Claim 12; 14 (18) through 15 (5); 20 (32) through 21 (3)
19	Claim 13; 15 (6-29); 20 (32) through 21 (3)

## **CONCLUSION**

New Claims 14-19 are believed to be in condition for allowance. An early indication of the same is kindly solicited.

No fees are believed due in connection with this submission. However, the Commissioner is authorized to charge any required fees, or credit any overpayment, to Pennie & Edmonds LLP Deposit Account No. 16-1150.

Respectfully submitted,

Date July 9, 2001

  
Nathan A. Machin 47,763  
(Reg. No.)

for Brian M. Poissant (Reg. No. 28,462)  
PENNIE & EDMONDS LLP  
1155 Avenue of the Americas  
New York, New York 10036-2711  
(212) 790-9090

Enclosure

# *Transfer Request*

PENNIE & EDMONDS LLP DOCKET NO. 8907-091-999

application. A duplicate copy of this sheet is enclosed for filing in the prior application file.

PRO  
09/09/95  
09/09/01  


- 4b.  New formal drawings are enclosed.
- 4c.  Drawings are enclosed.
- 5a.  Priority of application no. 09/216,077 filed on December 18, 1998 in the United States is claimed under 35 U.S.C. §120.
- 5b.  The certified copy has been filed in prior application no. , filed .
6.  The prior application is assigned of record to Bio-Rad Laboratories, Inc. and the California Institute of Technology.
- 7a.  The Power of Attorney appears in the prior application no. 09/216,077 filed December 18, 1998.
- 7b.  Since the Power of Attorney does not appear in the original papers, a copy of the Power in prior application no. , filed is enclosed.
8.  This application contains nucleic acid and/or amino acid sequences required to be disclosed in a Sequence Listing under 37 CFR §§1.821-1.825. It is requested that the Sequence Listing in computer readable form from prior application no. 09/216,077, filed on December 18, 1998 be made a part of the present application as provided for by 37 C.F.R. §1.821(e). The sequences disclosed therein are the same as the sequences disclosed in this application. A copy of the paper Sequence Listing from application no. 09/216,077 is enclosed.
9.  The undersigned states, under 37 C.F.R. §1.821(f), that the content of the enclosed paper Sequence Listing from application no. 09/216,077 is the same as the content of the computer readable form submitted in application no. 09/216,077.
10.  A copy of the application and signed Declaration from the application no. 09/216,077 is enclosed.
11.  A copy of the Information Disclosure Statements with revised form PTO 1449 from application no. 09/216,077 are enclosed. Copies of the references cited can be found in application no. 09/216,077. The Examiner is respectfully requested to transfer the references to the instant application and that these references be made a part of the file history of the instant application.